

```
<?php
```

```
/*
```

```
    Sending messages using the KudiSMS API
```

```
    Requirements - PHP, cURL (enabled) function
```

```
*/
```

```
// Initialize variables ( set your variables here )
```

```
$username = 'username';
```

```
$password = 'password';
```

```
$sender = 'sender';
```

```
$message = 'This is a test message.';
```

```
// Separate multiple numbers by comma
```

```
$mobiles = '2348030000000';
```

```
// Set your domain's API URL
```

```
$api_url = 'https://account.kudisms.net/api/';
```

```
//Create the message data
```

```
$data = array('username'=>$username, 'password'=>$password, 'sender'=>$sender,
'message'=>$message, 'mobiles'=>$mobiles);
```

```
//URL encode the message data
```

```
$data = http_build_query($data);
```

```
//Send the message
```

```
$ch = curl_init(); // Initialize a cURL connection
```

```
curl_setopt($ch,CURLOPT_URL, $api_url);
```

```
curl_setopt($ch,CURLOPT_RETURNTRANSFER, true);
```

```
curl_setopt($ch,CURLOPT_POST, true);
```

```
curl_setopt($ch,CURLOPT_POSTFIELDS, $data);
```

```
$result = curl_exec($ch);
```

```
$result = json_decode($result);
```

```
if(isset($result->status) && strtoupper($result->status) == 'OK')
```

```
{
```

```
    // Message sent successfully, do anything here
```

```
    echo 'Message sent at N'. $result->price;
```

```
}
```

```
else if(isset($result->error))
```

```
{
```

```
    // Message failed, check reason.
```

```
    echo 'Message failed - error: '.$result->error;
}
else
{
    // Could not determine the message response.

    echo 'Unable to process request';
}

?>
```